

How to Deploy ESET with Jamf Pro





Please download the ESET files before starting the exercise. You can download it at: <u>https://hcsonline.com/HCSfiles/ESET-Files.zip</u>

NOTE: Depending on how your Mac computer is configured, the zip file may not unzip itself when downloaded so you will have to double click the file to un zip it.

1. Log into your Jamf Pro server.

🛂 jamf 🛛 PRO	
USERNAME ex. admin	
PASSWORD	\bigcirc

- 2. Click Computers.
- 3. Click Configuration profiles.

	🛂 jam	f	
2—	Computers	L. Devices	L) Users
	Q Sea	rch Inventory	,
	Ă Sea	rch Volume C	ontent
	💭 Lice	ensed Softwar	e
	Poli	cies	
3—	🔅 Cor	figuration Pro	ofiles

4. Click Upload.



5. Click Choose File.

Upload OS X Configuration Profile





6. Navigate to your Downloads folder, select ESET Settings.mobileconfig then click Upload.

60	Cho	ose Files to Upload		
CONFIG	< >	loads	ᅌ 🔍 Search	
ESET Settingsileconfig	Name	Size	Kind	Date /
	ESET Settings.mobileconfig		8 KB Confign Profil	e Today
			Cancel	oad

7. Click Upload.

Upload OS X Configuration Profile

Choose File	ESET Settings.mobileconfig		
		Cancel	Upload

8. Select a Category or your choosing then click Scope.

0	ptions Scope	
0	General	SIGNED PROFILE This profile is read-only because it is signed.
Ð	VPN 1 payload configured	General
9	Privacy Preferences Policy Control 1 payload configured	Name Display name of the profile ESET Settings
2	System Extensions 1 payload configured	Description Brief explanation of the content or purpose of the profile
		Category Category to add the profile to Security Level at which to apply the profile
		Computer Level Distribution Method to use for distributing the profile
		Install Automatically Redistribute Profile After Amount of time after which to redistribute the profile
		Never •



9. Scope to your needs then click Save.

Computers : Configuration Profiles		
← ESET Settings Signed		
Options Scope		
Targets	Limitations	Exclusions
Target Computers	Target Users	
All Computers	Users to distribute the profile to	
Air computers	specific Osers	
Selected Deployment Targets		+ Add
TARGET	ТҮРЕ	
No Targets		
		⊗ 🖺
		Cancel Save

10. In the right-hand corner, click Settings (looks like a gear).

🜌 jamf PRO	<u>ע</u>	. 4	錼

- 11. Click Computer Management
- 12. Click Scripts.



13. Click New.





- 14. Enter the following:
 - A. Display Name: ESET
 - B. Category: Security (select one of your choosing)
 - C. Click Scripts

General Sc	ript Options Limitations
Display Name	Display name for the script
Install ESET	
Required	
Category Cate	gory to add the script to
- Security	×
Information In	formation to display to the administrator when the script is run
Notes Notes to	display about the script (e.g., who created it and when it was created)

15. Navigate to your Downloads folder and open the ESET Installation Script.sh. Copy this entire script to the clipboard.





16. Switch back to your Jamf Pro Server, Paste in the script you copied to the clipboard in step 15. This script requires a Prod and Key. See highlighted section of the script. Click Save. NOTE: The Prod and Key will be located on your ESET license.

Settings : Computer Management → Scripts ← NEW_SCRIPT	
General Script Options Limitations	
Script Contents Default Mode T T Commands	
<pre>1 #!/bin/bash 2 # Prod variable for install EEA or EES 3 # 4 # Activation will be attempted if value KEY contains is not empty 5 # security admin format example: '123-ABC-456:user=security.admin@mail.com:pass=SecurityAdm 6 # Proxy example: http://Proxy-IP-or-FQDN:3128 7 8 Prod_P=\$4 9 Lic_P=\$5 10 Proxy_P=\$6 11 12 #Prod_is_either_EEA or_EES </pre>	
<pre>12 13 14 Prod="EEA" 15 KEY="ABCD-1234-EFGH-5678-IJKL" 16 eraa_http_proxy_value="" 17 18 if [-z "\$Prod_P"] && [-z "\$Prod"] ; then echo 'No product selected please specify EEA c 19 20 if test -n "\$Prod"; then 21 Prod="\$(echo \$Prod tr "[:lower:]" "[:upper:]")" 21 22 23 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25</pre>	
⊗ 💾 Cancel Save	

- 17. Click Computers.
- 18. Click Policies.





19. Click New.



- 20. Enter the following:A. Display Name: Install ESETB. Category: SecurityC. Trigger: Recurring check-inD. Execution Frequency: Once per computer

Options Scope Self Servic	e User Interaction	
General >	General	
Packages	Display Name Display name for the policy	
0 Packages	Install ESET	•
Software Updates	Enabled	
Not Conligured	Category Category to add the policy to	
Scripts 0 Scripts	Security	
Printers	Trigger Event(s) to use to initiate the policy	
0 Printers	Startup	to the of Part for data to see the
Disk Encryption	When a computer starts up. A startup script that checks for policies must be configured	n Jamf Pro for this to work
Not Configured	When a user logs in to a computer. A login event that checks for policies must be config	ured in Jamf Pro for this to work
Dock Items	Network State Change When a computer's network state changes (e.g., when the network connection changes	when the computer name changes, when the
	IP address changes)	
Local Accounts 0 Accounts	Enrollment Complete Immediately after a computer completes the enrollment process	
Managament Accounts	Recurring Check-in At the recurring check-in frequency configured in lamf Pro	
Not Configured	Custom	
Directory Bindings	At a custom event	
0 Bindings	Execution Frequency Frequency at which to run the policy	
EFI Password Not Configured	Once per computer	
···· - ···· g	Automatically re-run policy on failure	
Restart Options Not Configured	Target Drive The drive on which to run the policy (e.g. "/Volumes/Restore/"). The policy runs	on the boot drive by default
Maintonanas	1	
Not Configured		
	Server-Side Limitations	Client-Side Limitations



- 19. Click Scripts
- 20. Click Configure.

C	Options Scope	Self Service	User Interaction			
[a]	General					
<u>. u .</u>						
Ş	Packages 0 Packages					
(@)	Software Updates Not Configured					
	Scripts 0 Scripts	>				
đ	Printers 0 Printers					
Ô	Disk Encryption Not Configured			E Configure	e Scripts	
-	Dock Items 0 Dock Items			Use this section to	run scripts.	
				Configure	2	

21. Find the Install ESET script. Click Add.

Install ESET	Security	Add



22. Click Scope.

Options Sco	pe Self Servic	e User Interaction
Not Configured	iates	Scripts
Scripts 1 Script	>	Install ESET (×) +
Printers 0 Printers		Priority Priority to use for running the script in relation to other actions
Disk Encryption	on	Parameter Values Values for script parameters. Parameters 1–3 are predefined as mount point, computer name, and username
Dock Items		Parameter 4
Local Accounts 0 Accounts		Parameter 5
Management Accounts Not Configured		Parameter 6
Directory Bindings 0 Bindings		Parameter 7
EFI Password Not Configured		Parameter 8
Restart Options Not Configured		Promotor 0
Maintenance Not Configured		

22. Scope to your needs then click Save.

Computers : Policies ← Install ESET								
Options Scope Self Service User In	iteraction							
Targets	Limitations	Exclusions						
Target Computers Computers to deploy the policy to All Computers	Target Users Users to deploy the policy to Specific Users •							
Selected Deployment Targets	түре	+ Add						
No Targets								





23. Click Back (\leftarrow) to to exit the Policies.

Options Scope Self Service U:	ser Interaction	Show in Jamf Pro Dashboard
Targets	Limitations	Exclusions
Farget Computers Computers to deploy the policy to	Target Users Users to deploy the policy to	

24. Confirm the policy has a Name, Frequency, Trigger, and a Scope.

Computers ← Policies									
\odot	Q ESET x 1-1 of 1 (filtered fr		+ New 🗮 🖽						
	NAME	FREQUENCY	TRIGGER	SCOPE					
•	Security								
•	Install ESET	Once per computer	Check-in	All computers					
	1 Run Script Install ESET								

25. Test your work from a Mac computer that is enrolled into your Jamf Pro Server, Go to System Preferences > Profiles and confirm the ESET Settings.mobileconfig file is installed.





26. Open the Terminal Application, then run this command: sudo jamf policy.Enter your admin credentials when prompted.This will kick off the Install ESET policy. Because we have the ESET Settings.mobileconfig profile, you should NOT be prompted with any messages during the install.

```
Last login: Sun Dec 19 19:29:30 on ttys000
[work@Big-Boy-MBP ~ % sudo jamf policy
[Password:
Checking for policies triggered by "recurring check-in" for user "work"...
```

27. Confirm ESET was installed in your Applications folder and you were not prompted to approve any messages from ESET during the install.

This completes the guide. If you'd like help implementing the solution in this white paper, we are ready to help; contact us at info@hcsonline.com or (866) 518-9672.

If you have corrections please send them to info@hcsonline.com.